

Contents

<i>Preface</i>	<i>vii</i>
<i>Syllabus</i>	<i>ix</i>
Safety Rules and Guidelines for Analytical Chemistry Lab	1
Laboratory Equipments.....	3
Experiment No. 1	
To perform the limit test for chloride in a given sample as per I.P.	5
Experiment No. 2	
To carry out the modified limit test for chloride in given sample of potassium permanganate as per I.P.....	7
Experiment No. 3	
To perform the limit test for sulphate in a given sample as per I.P.....	9
Experiment No. 4	
To perform the modified limit test for sulphate in given sample of potassium permanganate as per I.P.....	12
Experiment No. 5	
To carry out the limit test for iron in a given sample as per I.P.	15
Experiment No. 6	
To carry out the limit test for lead in a given sample as per I.P.	18
Experiment No. 7	
To perform the limit test for arsenic in a given sample as per I.P.....	21
Experiment No. 8	
To prepare and submit aluminum hydroxide $\text{Al}(\text{OH})_3$	26
Experiment No. 9	
Prepare and submit the potash alum $(\text{K}_2\text{SO}_4 \cdot \text{Al}_2(\text{SO}_4)_3 \cdot 24 \text{H}_2\text{O})$	28
Experiment No. 10	
To prepare and submit pure product of ferrous sulphate.	30
Experiment No. 11	
To study the swelling power of bentonite.	32

Experiment No. 12

To determine the acid neutralizing capacity of given sample of aluminium hydroxide gel. 34

Experiment No. 13

To perform the assay of ferrous sulphate by cerimetry and calculate its percentage purity. 36

Experiment No. 14

To perform the assay of given sample of calcium gluconate by complexometric titration 38

Experiment No. 15

To perform the assay of given sample of Hydrogen peroxide 41

Experiment No. 16

To perform the assay of given sample of sodium benzoate by nonaqueous titration. 43

Experiment No. 17

To perform the assay of given sample of sodium chloride by precipitation titration. 45

Experiment No. 18

To perform the assay and determine the percentage purity of the given sample of ammonium chloride. 48

Experiment No. 19

To perform the assay and calculate the percentage purity of given sample of copper sulphate. 51